







Premium Aluminum Channel to Contractor-Grade Aluminum Channel Cross Reference


					
Premium Aluminum Channel with Optics/Accessories			Contractor-Grade Aluminum Channel Offering		
BOS CHANNEL  Compatible LED Strips: LED Strips in • offer no dotting with Frosted Lens Options - VC72VLO (1.1W/ft) - VC72LO (2.8W/ft) - VC72SO (3.7W/ft) - VC72MO (4.9W/ft) - VC72HO (5.9W/ft) - VC72VHO (7.9W/ft) - HE64VLO (1.0W/ft) - HE64LO (1.9W/ft) - HE64SO (2.9W/ft) - HE64MO (3.8W/ft) - HE64HO (5.6W/ft) - HE64VHO (7.1W/ft) - WD51SO (2.3W/ft) - WD51HO (4.7W/ft) - WD51VHO (6.9W/ft) - TW51SO (All On) (4.4W/ft) - TW51HO (All On) (5.4W/ft) - TW51VHO (All On) (7.6W/ft) - TW51SO (1 CH) (2.2W/ft) - TW51HO (1 CH) (2.7W/ft) - TW51VHO (1 CH) (3.9W/ft) - RGBW36SO (4.0W/ft) - RGBW36HO (7.6W/ft) - RGB42SO (4.5W/ft) - RGB42HO (8.3W/ft) - RGBWX18SO (5.7W/ft) - RGBX18SO (4.5W/ft)			No Basics Offering		
CLA CHANNEL  Compatible LED Strips: LED Strips in • offer no dotting with Frosted Lens Options - VC72VLO (1.1W/ft) - VC72LO (2.8W/ft) - VC72SO (3.7W/ft) - VC72MO (4.9W/ft) - VC72HO (5.9W/ft) - VC72VHO (7.9W/ft) - VC72XHO (9.9W/ft) - HE64VLO (1.0W/ft) - HE64LO (1.9W/ft) - HE64SO (2.9W/ft) - HE64MO (3.8W/ft) - HE64HO (5.6W/ft) - HE64VHO (7.1W/ft) - HE64XHO (8.9W/ft) - WD51SO (2.3W/ft) - WD51HO (4.7W/ft) - WD51VHO (6.9W/ft) - TW51SO (All On) (4.4W/ft) - TW51HO (All On) (5.4W/ft) - TW51VHO (All On) (7.6W/ft) - TW51SO (1 CH) (2.2W/ft) - TW51HO (1 CH) (2.7W/ft) - TW51VHO (1 CH) (3.9W/ft) - TW51X2VHO (All On) (9.5W/ft) - TW51X2VHO (1 CH) (4.7W/ft) - RGBW36SO (4.0W/ft) - RGBW36HO (7.6W/ft) - RGB42SO (4.5W/ft) - RGB42HO (8.3W/ft) - RGBWX18SO (5.7W/ft) - RGBX18SO (4.5W/ft)			No Basics Offering		
K45V CHANNEL  Compatible LED Strips: LED Strips in • offer no dotting with Frosted Lens Options - VC72VLO (1.1W/ft) - VC72LO (2.8W/ft) - VC72SO (3.7W/ft) - VC72MO (4.9W/ft) - VC72HO (5.9W/ft) - VC72VHO (7.9W/ft) - HE64VLO (1.0W/ft) - HE64LO (1.9W/ft) - HE64SO (2.9W/ft) - HE64MO (3.8W/ft) - HE64HO (5.6W/ft) - HE64VHO (7.1W/ft) - HE64XHO (8.9W/ft) - WD51SO (2.3W/ft) - WD51HO (4.9W/ft) - WD51VHO (6.9W/ft) - TW51SO (All On) (4.4W/ft) - TW51HO (All On) (5.4W/ft) - TW51VHO (All On) (7.6W/ft) - TW51SO (1 CH) (2.2W/ft) - TW51HO (1 CH) (2.7W/ft) - TW51VHO (1 CH) (3.9W/ft) - RGBW36SO (4.0W/ft) - RGBW36HO (7.6W/ft) - RGB42SO (4.5W/ft) - RGB42HO (8.3W/ft) - RGBWX18SO (5.7W/ft) - RGBX18SO (4.5W/ft)			B45C  Compatible LED Strips: LED Strips in • offer no dotting with Frosted Lens Options - VC72VLO (1.1W/ft) - VC72LO (2.8W/ft) - VC72SO (3.7W/ft) - VC72MO (4.9W/ft) - VC72HO (5.9W/ft) - VC72VHO (7.9W/ft) - HE64VLO (1.0W/ft) - HE64LO (1.9W/ft) - HE64SO (2.9W/ft) - HE64MO (3.8W/ft) - HE64HO (5.6W/ft) - HE64VHO (7.1W/ft) - HE64XHO (8.9W/ft) - WD51SO (2.3W/ft) - WD51HO (4.9W/ft) - WD51VHO (6.9W/ft) - TW51SO (All On) (4.4W/ft) - TW51HO (All On) (5.4W/ft) - TW51VHO (All On) (7.6W/ft) - TW51SO (1 CH) (2.2W/ft) - TW51HO (1 CH) (2.7W/ft) - TW51VHO (1 CH) (3.9W/ft) - RGBW36SO (4.0W/ft) - RGBW36HO (7.6W/ft) - RGB42SO (4.5W/ft) - RGB42HO (8.3W/ft) - RGBWX18SO (5.7W/ft) - RGBX18SO (4.5W/ft)		
K45R CHANNEL  Compatible LED Strips: LED Strips in • offer no dotting with Frosted Lens Options - VC72VLO (1.1W/ft) - VC72LO (2.8W/ft) - VC72SO (3.7W/ft) - VC72MO (4.9W/ft) - VC72HO (5.9W/ft) - VC72VHO (7.9W/ft) - HE64VLO (1.0W/ft) - HE64LO (1.9W/ft) - HE64SO (2.9W/ft) - HE64MO (3.8W/ft) - HE64HO (5.6W/ft) - HE64VHO (7.1W/ft) - HE64XHO (8.9W/ft) - WD51SO (2.3W/ft) - WD51HO (4.7W/ft) - WD51VHO (6.9W/ft) - TW51SO (All On) (4.4W/ft) - TW51HO (All On) (5.4W/ft) - TW51VHO (All On) (7.6W/ft) - TW51SO (1 CH) (2.4W/ft) - TW51HO (1 CH) (2.7W/ft) - TW51VHO (1 CH) (3.9W/ft) - RGBW36SO (4.0W/ft) - RGBW36HO (7.6W/ft) - RGB42SO (4.5W/ft) - RGB42HO (8.3W/ft) - RGBWX18SO (5.7W/ft) - RGBX18SO (4.5W/ft)			B45RC  Compatible LED Strips: LED Strips in • offer no dotting with Frosted Lens Options - VC72VLO (1.1W/ft) - VC72LO (2.8W/ft) - VC72SO (3.7W/ft) - VC72MO (4.9W/ft) - VC72HO (5.9W/ft) - VC72VHO (7.9W/ft) - HE64VLO (1.0W/ft) - HE64LO (1.9W/ft) - HE64SO (2.9W/ft) - HE64MO (3.8W/ft) - HE64HO (5.6W/ft) - HE64VHO (7.1W/ft) - HE64XHO (8.9W/ft) - WD51SO (2.3W/ft) - WD51HO (4.7W/ft) - WD51VHO (6.9W/ft) - TW51SO (All On) (4.4W/ft) - TW51HO (All On) (5.4W/ft) - TW51VHO (All On) (7.6W/ft) - TW51SO (1 CH) (2.4W/ft) - TW51HO (1 CH) (2.7W/ft) - TW51VHO (1 CH) (3.9W/ft) - RGBW36SO (4.0W/ft) - RGBW36HO (7.6W/ft) - RGB42SO (4.5W/ft) - RGB42HO (8.3W/ft) - RGBWX18SO (5.7W/ft) - RGBX18SO (4.5W/ft)		



Premium Aluminum Channel with Optics/Accessories

Contractor-Grade Aluminum Channel Offering

RO CHANNEL




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGBW18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

No Basics Offering

PLA



Compatible LED Strips:


LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBW18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

No Basics Offering

KILO CHANNEL


BKC



Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBW18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBW18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

KILOR CHANNEL

No Basics Offering



Compatible LED Strips:


LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBW18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)



Contractor-Grade Aluminum Channel Offering

BMC





Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- | | | |
|--------------------|-----------------------------|--------------------------|
| ● VC72VLO (1.1W/f) | ● HE64MQL(3.8W/f) | ● TW51SO (1 CH)[2.2W/f] |
| ● VC72LO (2.1W/f) | ● HE64HO (5.6W/f) | ● TW51HO (1 CH)[2.7W/f] |
| ● VC72SO (3.7W/f) | ● HE64VHO (7.1W/f) | ● TW51VHO (1 CH)[3.9W/f] |
| ● VC72MO (4.9W/f) | ● WD51SO (2.3W/f) | ● RGBW36SO (4.0W/f) |
| ● VC72HO (5.9W/f) | ● WD51HO (4.7W/f) | ● RGBW36HO[7.6W/f] |
| ● VC72VHO (7.9W/f) | ● VD31VHO (6.9W/f) | ● RGB42SO (4.5W/f) |
| ● HE64VLO (1.0W/f) | ● TW51SO [All On] (4.4W/f) | ● RGB42HO (5.5W/f) |
| ● HE64LO (1.9W/f) | ● TW51HO [All On] (5.4W/f) | ● RGBWX18SO (5.7W/f) |
| ● HE64SO (2.9W/f) | ● TW51VHO [All On] (7.6W/f) | ● RGBX18SO (4.5W/f) |

BRC





Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- | | | |
|--------------------|-----------------------------|---------------------------|
| ● VC72VLO (1.1W/f) | ● HE64MQL (3.8W/f) | ● TV51SO (1 CH) (2.2W/f) |
| ● VC72LO (1.2W/f) | ● HE64HO (5.6W/f) | ● TV51HIO (1 CH) (2.2W/f) |
| ● VC72SO (3.7W/f) | ● HE64VHO (7.1W/f) | ● TV51VHO (1 CH) (3.9W/f) |
| ● VC72MO (4.9W/f) | ● WD51SO (2.3W/f) | ● RGBW36SO (4.0W/f) |
| ● VC72HO (5.9W/f) | ● WD51HO (4.7W/f) | ● RGBW36HIO (7.6W/f) |
| ● VC72VHO (7.9W/f) | ● VD51VHO (6.9W/f) | ● RGB42SO (4.5W/f) |
| ● VC72VHO (1.0W/f) | ● TV51SO (All Ch) (4.4W/f) | ● RGB42HIO (8.5W/f) |
| ● HE64LO (1.9W/f) | ● TV51HO (All Ch) (5.4W/f) | ● RGBWX18SO (5.7W/f) |
| ● HE64SO (2.9W/f) | ● TV51VHO (All Ch) (7.6W/f) | ● RGBX185Q (4.5W/f) |

BSC




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- | | | |
|--------------------|---------------------------|-------------------------|
| • VC72VLO (1.1W/f) | • HE64M0Q (3.8W/f) | • TV51S0 (1 CH 2.2W/f) |
| • VC72L0 (2.1W/f) | • HE64H0 (5.6W/f) | • TV51H0 (1 CH 2.2W/f) |
| • VC72S0 (3.7W/f) | • HE64VH0 (7.1W/f) | • TV51VH0 (1 CH 3.9W/f) |
| • VC72M0 (4.9W/f) | • WD51S0 (2.3W/f) | • RGBW36S0 (4W/f) |
| • VC72H0 (5.9W/f) | • WD51H0 (4.7W/f) | • RGBW36H0 (7.6W/f) |
| • VC72VH0 (7.9W/f) | • VD51VH0 (6.9W/f) | • RGB42S0 (4.5W/f) |
| • HE64S0 (1.0W/f) | • TV51S0 (On 4.4W/f) | • RGBX18S0 (4.5W/f) |
| • HE64L0 (1.9W/f) | • TV51H0 (All On 5.4W/f) | • RGBX18S0 (4.5W/f) |
| • HE64S0 (2.9W/f) | • TV51VH0 (All On 7.6W/f) | |

No Basics Offering



No Basics Offering

No Basics Offering

- ## No Basics Offering




Premium Aluminum Channel with Optics/Accessories

Contractor-Grade Aluminum Channel Offering

KL CHANNEL

BLC




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- HE64XHO (8.9W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)

- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- TW51X2VHO (All On) (9.5W/ft)
- TW51X2VHO (1 CH) (4.7W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)



Compatible LED Strips:


LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.6W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- HE64XHO (8.9W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)

- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- TW51X2VHO (All On) (9.5W/ft)
- TW51X2VHO (1 CH) (4.7W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

KRL CHANNEL

No Basics Offering



Compatible LED Strips:


LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- HE64XHO (8.9W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)

- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- TW51X2VHO (All On) (9.5W/ft)
- TW51X2VHO (1 CH) (4.7W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

KXL CHANNEL

BXC




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- HE64XHO (8.9W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)

- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- TW51X2VHO (All On) (9.5W/ft)
- TW51X2VHO (1 CH) (4.7W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)



Compatible LED Strips:


LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- HE64XHO (8.9W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)

- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- TW51X2VHO (All On) (9.5W/ft)
- TW51X2VHO (1 CH) (4.7W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

KRXL CHANNEL

No Basics Offering



Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- HE64XHO (8.9W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)


- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- TW51X2VHO (All On) (9.5W/ft)
- TW51X2VHO (1 CH) (4.7W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)



Premium Aluminum Channel with Optics/Accessories

Contractor-Grade Aluminum Channel Offering

ALS20 CHANNEL




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGBVX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

No Basics Offering

RO1.5 CHANNEL



Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- HE64XHO (8.9W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- TW51X2VHO (All On) (9.5W/ft)
- TW51X2VHO (1 CH) (4.7W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBVX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

No Basics Offering

WALL+ CHANNEL




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBVX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

No Basics Offering

MCAL CHANNEL



Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- VC72XHO (9.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- HE64XHO (8.9W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- TW51X2VHO (All On) (9.5W/ft)
- TW51X2VHO (1 CH) (4.7W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGB42HO (8.3W/ft)
- RGBVX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)


No Basics Offering



Bbasics
by luminii
Contractor-grade solution



Premium Aluminum Channel with Optics/Accessories

Contractor-Grade Aluminum Channel Offering

MK CHANNEL**Compatible LED Strips:**


LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

No Basics Offering**MK45 CHANNEL****Compatible LED Strips:**



LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.4W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

No Basics Offering**MKRA CHANNEL****Compatible LED Strips:**

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)

No Basics Offering**MKR CHANNEL****Compatible LED Strips:**

LED Strips in • offer no dotting with Frosted Lens Options

- VC72VLO (1.1W/ft)
- VC72LO (2.8W/ft)
- VC72SO (3.7W/ft)
- VC72MO (4.9W/ft)
- VC72HO (5.9W/ft)
- VC72VHO (7.9W/ft)
- HE64VLO (1.0W/ft)
- HE64LO (1.9W/ft)
- HE64SO (2.9W/ft)
- HE64MO (3.8W/ft)
- HE64HO (5.6W/ft)
- HE64VHO (7.1W/ft)
- WD51SO (2.3W/ft)
- WD51HO (4.7W/ft)
- WD51VHO (6.9W/ft)
- TW51SO (All On) (4.4W/ft)
- TW51HO (All On) (5.4W/ft)
- TW51VHO (All On) (7.6W/ft)
- TW51SO (1 CH) (2.2W/ft)
- TW51HO (1 CH) (2.7W/ft)
- TW51VHO (1 CH) (3.9W/ft)
- RGBW36SO (4.0W/ft)
- RGBW36HO (7.6W/ft)
- RGB42SO (4.5W/ft)
- RGBWX18SO (5.7W/ft)
- RGBX18SO (4.5W/ft)


No Basics Offering



Premium Aluminum Channel with Optics/Accessories

Contractor-Grade Aluminum Channel Offering

MKL CHANNEL




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- | | | |
|---|--|--|
| <ul style="list-style-type: none"> VC72VLO (1.1W/ft) VC72LO (2.8W/ft) VC72SO (3.7W/ft) VC72MO (4.9W/ft) VC72HO (5.9W/ft) VC72VHO (7.9W/ft) HE64VLO (1.0W/ft) HE64LO (1.9W/ft) HE64SO (2.9W/ft) | <ul style="list-style-type: none"> HE64MO (3.8W/ft) HE64HO (5.6W/ft) HE64VHO (7.1W/ft) WD51SO (2.3W/ft) WD51HO (4.7W/ft) WD51VHO (3.9W/ft) TW51SO (All On) (4.4W/ft) TW51HO (All On) (5.4W/ft) TW51VHO (All On) (7.6W/ft) | <ul style="list-style-type: none"> TW51SO (1 CH) (2.2W/ft) TW51HO (1 CH) (2.7W/ft) TW51VHO (1 CH) (3.9W/ft) RGBW36SO (4.0W/ft) RGBW36HO (7.6W/ft) RGB42SO (4.5W/ft) RGBWX18SO (5.7W/ft) RGBX18SO (4.5W/ft) |
|---|--|--|

No Basics Offering

MKRO CHANNEL




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- | | | |
|---|--|--|
| <ul style="list-style-type: none"> VC72VLO (1.1W/ft) VC72LO (2.8W/ft) VC72SO (3.7W/ft) VC72MO (4.9W/ft) VC72HO (5.9W/ft) VC72VHO (7.9W/ft) HE64VLO (1.0W/ft) HE64LO (1.9W/ft) HE64SO (2.9W/ft) | <ul style="list-style-type: none"> HE64MO (3.8W/ft) HE64HO (5.6W/ft) HE64VHO (7.1W/ft) WD51SO (2.3W/ft) WD51HO (4.7W/ft) WD51VHO (6.9W/ft) TW51SO (All On) (4.4W/ft) TW51HO (All On) (5.4W/ft) TW51VHO (All On) (7.6W/ft) | <ul style="list-style-type: none"> TW51SO (1 CH) (2.2W/ft) TW51HO (1 CH) (2.7W/ft) TW51VHO (1 CH) (3.9W/ft) RGBW36SO (4.0W/ft) RGBW36HO (7.6W/ft) RGB42SO (4.5W/ft) RGBWX18SO (5.7W/ft) RGBX18SO (4.5W/ft) |
|---|--|--|

No Basics Offering

BAR CHANNEL




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- | | | |
|--|---|---|
| <ul style="list-style-type: none"> VC72VLO (1.1W/ft) VC72LO (2.8W/ft) VC72SO (3.7W/ft) VC72MO (4.9W/ft) VC72HO (5.9W/ft) VC72VHO (7.9W/ft) VC72XHO (9.9W/ft) HE64VLO (1.0W/ft) HE64LO (1.9W/ft) HE64SO (2.9W/ft) | <ul style="list-style-type: none"> HE64MO (3.8W/ft) HE64HO (5.6W/ft) HE64VHO (7.1W/ft) HE64XHO (8.9W/ft) WD51SO (2.3W/ft) WD51HO (4.7W/ft) WD51VHO (6.9W/ft) TW51SO (All On) (4.4W/ft) TW51HO (All On) (5.4W/ft) TW51VHO (All On) (7.6W/ft) | <ul style="list-style-type: none"> TW51SO (1 CH) (2.2W/ft) TW51HO (1 CH) (2.7W/ft) TW51VHO (1 CH) (3.9W/ft) RGBW36SO (4.0W/ft) RGBW36HO (7.6W/ft) RGB42SO (4.5W/ft) RGB42HO (8.3W/ft) RGBWX18SO (5.7W/ft) RGBX18SO (4.5W/ft) |
|--|---|---|

No Basics Offering

SLOT CHANNEL




Compatible LED Strips:

LED Strips in • offer no dotting with Frosted Lens Options

- | | | |
|---|--|--|
| <ul style="list-style-type: none"> VC72VLO (1.1W/ft) VC72LO (2.8W/ft) VC72SO (3.7W/ft) VC72MO (4.9W/ft) VC72HO (5.9W/ft) VC72VHO (7.9W/ft) HE64VLO (1.0W/ft) HE64LO (1.9W/ft) HE64SO (2.9W/ft) | <ul style="list-style-type: none"> HE64MO (3.8W/ft) HE64HO (5.6W/ft) HE64VHO (7.1W/ft) WD51SO (2.3W/ft) WD51HO (4.7W/ft) WD51VHO (6.9W/ft) TW51SO (All On) (4.4W/ft) TW51HO (All On) (5.4W/ft) TW51VHO (All On) (7.6W/ft) | <ul style="list-style-type: none"> TW51SO (1 CH) (2.2W/ft) TW51HO (1 CH) (2.7W/ft) TW51VHO (1 CH) (3.9W/ft) RGBW36SO (4.0W/ft) RGBW36HO (7.6W/ft) RGB42SO (4.5W/ft) RGBWX18SO (5.7W/ft) RGBX18SO (4.5W/ft) |
|---|--|--|

No Basics Offering

 Contractor-grade solution by luminii	
Premium Aluminum Channel with Optics/Accessories	Contractor-Grade Aluminum Channel Offering
LINII CHANNEL  Compatible LED Strips: LED Strips in • offer no dotting with Frosted Lens Options • VC72VLO [1.1W/ft] • VC72LO [2.8W/ft] • VC72SO [3.7W/ft] • VC72MO [4.9W/ft] • VC72HO [5.9W/ft] • VC72VHO [7.9W/ft] • HE64VLO [1.0W/ft] • HE64LO [1.6W/ft] • HE64SO [2.9W/ft] • HE64MO [3.8W/ft] • HE64HO [5.6W/ft] • HE64VHO [7.1W/ft] • HE64XHO [8.9W/ft] • WDS1SO [2.3W/ft] • WDS1HO [4.7W/ft] • WDS1VHO [6.9W/ft] • TW51SO [All On] [4.4W/ft] • TW51HO [All On] [5.4W/ft] • TW51VHO [All On] [7.6W/ft] • TW51SO [1 CH] [2.2W/ft] • TW51HO [1 CH] [2.7W/ft] • TW51VHO [1 CH] [3.9W/ft] • TW51X2VHO [All On] [9.5W/ft] • TW51X2VHO [1 CH] [4.7 W/ft] • RGBWV36SO [4.0W/ft] • RGBWV36HO [7.6W/ft] • RGB42SO [4.5W/ft] • RGB42HO [8.3W/ft] • RGBWVX18SO [5.7W/ft] • RGBX18SO [4.5W/ft]	No Basics Offering