Myka Round - Installation Instructions

Models MKRO-XX


Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. PRIOR TO INSTALLATION ENSURE POWER IS OFF AT FUSE BOX TO PREVENT ELECTRICAL SHOCK.
3. USE ONLY WITH CLASS 2 POWER SUPPLY.
4. 24 VOLTS DC.
5. SUITABLE FOR DAMP LOCATIONS.
6. SUITABLE FOR INSTALLATION IN THE STORAGE AREA OF A CLOTHES CLOSET ON OUTPUTS 5.7W/FT OR LESS.
7. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
8. CABINET, UNDER-CABINET OR SURFACE MOUNT.

c UL us LISTED

REV0.4
04242026

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com



Myka Round w/ Fixed Clip Mounting

*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Myka Round - Installation Instructions

Models MKRO-XX

Please read all instructions prior to installation and keep for future reference!


1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. PRIOR TO INSTALLATION ENSURE POWER IS OFF AT FUSE BOX TO PREVENT ELECTRICAL SHOCK.
3. USE ONLY WITH CLASS 2 POWER SUPPLY.
4. 24 VOLTS DC.
5. SUITABLE FOR DAMP LOCATIONS.
6. SUITABLE FOR INSTALLATION IN THE STORAGE AREA OF A CLOTHES CLOSET ON OUTPUTS 5.7W/FT OR LESS.
7. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
8. CABINET, UNDER-CABINET OR SURFACE MOUNT.

c UL us LISTED

REV0.4
04242026

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

1




Note: Refer to the power supply installation instruction for additional information.
Note: More than one person is recommended for this installation.

1.1 Determine the location of where the fixture(s) will be installed. Lay the fixture(s) on the surface, and make any necessary reference marks for the fixed mounting clips. Make marks 4" from each end of the fixture(s) and also every 24" in between.

1.2 Lay the fixed clip onto the reference mark points and secure using the provided hardware.

2

2.1 Follow connector dimensions below and drill hole through surface. Insert wire lead/connector through surface & snap fixture into the mounting channel to secure in place.



Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. PRIOR TO INSTALLATION ENSURE POWER IS OFF AT FUSE BOX TO PREVENT ELECTRICAL SHOCK.
3. USE ONLY WITH CLASS 2 POWER SUPPLY.
4. 24 VOLTS DC.
5. SUITABLE FOR DAMP LOCATIONS.
6. SUITABLE FOR INSTALLATION IN THE STORAGE AREA OF A CLOTHES CLOSET ON OUTPUTS 5.7W/FT OR LESS.
7. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
8. CABINET, UNDER-CABINET OR SURFACE MOUNT.

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

Power Supply Wiring Diagram

Note: *Prior to installation all 24VDC wires must be present near fixture. Refer to the power supply installation instructions for additional information.*

Static White
Wiring Diagram PDF

Myka Round - Installation Instructions

Models MKRO-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. PRIOR TO INSTALLATION ENSURE POWER IS OFF AT FUSE BOX TO PREVENT ELECTRICAL SHOCK.
3. USE ONLY WITH CLASS 2 POWER SUPPLY.
4. 24 VOLTS DC.
5. SUITABLE FOR DAMP LOCATIONS.
6. SUITABLE FOR INSTALLATION IN THE STORAGE AREA OF A CLOTHES CLOSET ON OUTPUTS 5.7W/FT OR LESS.
7. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
8. CABINET, UNDER-CABINET OR SURFACE MOUNT.


REV0.4
04242026

4 / 4


luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

Multiple powerfeed layouts


power supplies at the end of the run



power supplies in the middle of the run



consecutive layout, NOT RECOMMENDED



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE