Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.


REV0.1
04242026

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

TUNABLE WHITE WIRING DIAGRAM

PS-DALI2-DT8-D-96-24

Power Supply, 120-277VAC- DALI2 DT8 Tunable White (0.1%)- Dry- 96 Watts- 24 VDC




TUNABLE WHITE WIRING DIAGRAM

PS-DALI2-DT8-D-96-24-AWNR

Power Supply, 120-277VAC- DALI2 DT8 Tunable White (0.1%)- Dry- 96 Watts- 24 VDC- Athena

Athena LUTRON



Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.


REV0.1
04242026

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

Dim-to-Warm using Tunable White LED-WIRING DIAGRAM

PS-DALI2-WD-D-96-24

Power Supply, 120-277VAC- DALI2 DT6 Warm Dim Tunable White (0.1%)- Dry- 96 Watts- 24 VDC



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

REV0.1
04242026


luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

Dim-to-Warm using Tunable White LED - WIRING DIAGRAM

PS-010V-WD-D-96-24

Power Supply, 120-277VAC- 0-10V Dimming,Standard Warm Dim Curve (with Tunable White LED)- Dry- 96 Watts- 24 VDC

VintageDim



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.


REV0.1
04242026

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

Dim-to-Warm using Tunable White LED - WIRING DIAGRAM

PS-010V-WD-D-3X96-24

Power Supply, 120-277VAC- 0-10V Dimming,Standard Warm Dim Curve (with Tunable White LED)- Dry- 3X96 Watts- 24 VDC




Dim-to-Warm using Tunable White LED - WIRING DIAGRAM

PS-010V-WD-D-96-24-AWNR

Power Supply, 120-277VAC- 0-10V Dimming, Standard Warm Dim Curve (with Tunable White LED)- Dry - 96 Watts- 24 VDC- Athena

Athena LUTRON

VintageDim



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

REV0.1
04242026

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com


Dim-to-Warm using Tunable White LED - WIRING DIAGRAM

PS-010V-WDX-D-96-24

Power Supply, 120-277VAC- 0-10V Dimming, Customizable Warm Dim Curve (with Tunable White LED)- Dry- 96 Watts- 24 VDC

VintageDim

DIM.010.W3 0 - 10VDC CONTROL
DIMMING RANGE: 0-100% CLASS 2
LED DIM MODULE DRY & DAMP
LOCATIONS (10 - 30VDC-5A - 1Khz)



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

REV0.1
04242026

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com


TUNABLE WHITE WIRING DIAGRAM

PS-010V-TW-D-96-24

Power Supply, 120-277VAC- 0-10V Dimming, Two Channel Control, Brightness and CCT1-CCT2 Ratio- Dry- 96 Watts- 24 VDC

VintageDim

DIM.010.W3 0 - 10VDC CONTROL
DIMMING RANGE: 0-100% CLASS 2
LED DIM MODULE DRY & DAMP
LOCATIONS (10 - 30VDC-5A - 1Khz)



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.


luminii

7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

TUNABLE WHITE WIRING DIAGRAM

PS-010V-TW-D-3X96-24

Power Supply, 120-277VAC- 0-10V Dimming,Tunable White LED- Dry- 3X96 Watts- 24 VDC



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

REV0.1
04242026

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com


TUNABLE WHITE WIRING DIAGRAM

PS-010V-2CH-D-96-24

Power Supply, 120-277VAC- 0-10V Dimming, Two Channel Control, LED1 Brightness and LED2 Brightness- Dry- 96 Watts- 24 VDC

VintageDim

DIM.010.W3 0 - 10VDC CONTROL
DIMMING RANGE: 0-100% CLASS 2
LED DIM MODULE DRY & DAMP
LOCATIONS (10 - 30VDC-5A - 1Khz)



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

TUNABLE WHITE WIRING DIAGRAM


PS-010V-2CH-D-96-24-AWNR

Power Supply, 120-277VAC- 0-10V Dimming, Two Channel Control, LED1 Brightness and LED2 Brightness - Dry- 96 Watts- 24 VDC- Athena

Athena LUTRON

VintageDim

PS-010V-2CH-D-96-24-AWNR



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

luminii


7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

TUNABLE WHITE WIRING DIAGRAM

PS-DMX-D-96-24

Power Supply, 120-277VAC- DMX (0.1%)- Dry- 96 Watts- 24 VDC

Do not use wire nuts for any DMX connections.



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

REV0.1
04242026


luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

TUNABLE WHITE WIRING DIAGRAM

PS-DMX-D-3X96-24

Power Supply, 120-277VAC- DMX (0.1%)- Dry- 3x96 Watts- 24 VDC

Do not use wire nuts for any DMX connections.



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

REV0.1
04242026


luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

TUNABLE WHITE WIRING DIAGRAM MULTIPLE ON 1 CIR

PS-DMX-D-3X96-24

Power Supply, 120-277VAC- DMX (0.1%)- Dry- 3x96 Watts- 24 VDC

Do not use wire nuts for any DMX connections.



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Power Supply Wiring Diagram - Tunable White

Models: PS-XX

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.

luminii

7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

TUNABLE WHITE WIRING DIAGRAM

TW-DMX

DMX Controller

Do not use wire nuts for any DMX connections.

