Wall Plus - Installation Instructions

Models WP-

Please read all instructions prior to installation and keep for future reference!


1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. USE ONLY WITH CLASS 2 POWER UNIT.
3. 24 VOLTS DC.
4. SUITABLE FOR DAMP LOCATIONS.
5. TYPE IC
6. INHERENTLY PROTECTED
7. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
8. SUITABLE FOR INSTALLATION IN THE STORAGE AREA OF A CLOTHES CLOSET ON OUTPUTS 5.7W/FT OR LESS, NEC COMPLIANT FOR THE USA ONLY

c UL us LISTED

REV0.3
04102026


luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

1



Refer to these dimensions when installing the Wall+ fixture.


2



Cut out drywall section for the Wall+ fixture. Cut a rectangle 3.00" wide by length of your fixture excluding overextending flanges at ends.

3


need be, plaster and finish the mounting surface to cover any imperfections in the opening cut-out. Bring low-voltage power supply wires in conduit through the drywall opening and connect with Wall+ wires located inside fixture junction box. Use most convenient knockout for entry point.



Ensure power to power supply is off! Take out bottom fasteners and unhook junction box from Wall+ fixture then proceed to wire connections.

4

After junction box is securely attatched, flip spring clips to fit inside drywall opening. Then simply push fixture in the wall until the clips snap in place.



Remove the protective film from the lens.

*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE

Please read all instructions prior to installation and keep for future reference!

1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. USE ONLY WITH CLASS 2 POWER UNIT.
3. 24 VOLTS DC.
4. SUITABLE FOR DAMP LOCATIONS.
5. TYPE IC
6. INHERENTLY PROTECTED
7. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
8. SUITABLE FOR INSTALLATION IN THE STORAGE AREA OF A CLOTHES CLOSET ON OUTPUTS 5.7W/FT OR LESS, NEC COMPLIANT FOR THE USA ONLY

luminii

7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

Power Supply Wiring Diagram

Note: *Prior to installation all 24VDC wires must be present near fixture. Refer to the power supply installation instructions for additional information.*

Static White
Wiring Diagram PDF

RGB/RGBW
Wiring Diagram PDF

Pixel
Wiring Diagram PDF

Please read all instructions prior to installation and keep for future reference!


1. PRODUCT TO BE INSTALLED BY A QUALIFIED ELECTRICIAN.
2. USE ONLY WITH CLASS 2 POWER UNIT.
3. 24 VOLTS DC.
4. SUITABLE FOR DAMP LOCATIONS.
5. TYPE IC
6. INHERENTLY PROTECTED
7. FIXTURE SHOULD BE INSTALLED BY TWO PEOPLE.
8. SUITABLE FOR INSTALLATION IN THE STORAGE AREA OF A CLOTHES CLOSET ON OUTPUTS 5.7W/FT OR LESS, NEC COMPLIANT FOR THE USA ONLY

REV0.3
04102026


luminii
7777 Merrimac Ave
Niles, IL 60714
T 224.333.6033
F 224.757.7557
info@luminii.com
www.luminii.com

multiple powerfeed layouts


power supplies at the end of the run



power supplies in the middle of the run



consecutive layout, NOT RECOMMENDED



*LUMINII RESERVES THE RIGHTS TO CHANGE SPECIFICATION & INSTRUCTION WITHOUT NOTICE